The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Cancelled)

2. (Currently Amended) ~~A liquid-crystalline medium according to Claim 1, wherein component (β) further comprises~~ A liquid-crystalline medium comprising

- a component (α) which comprises at least one compound of the formula I



I

where

L^{11} is H or F;

R^{11} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

Z^1 is a single bond or -COO-; and



is



or ;

and

- a component (β) which comprises at least one compound of the formula II



II

where

R^{21} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{22} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms, in which one $-CH_2-$ group is optionally replaced by oxygen;

where the following applies for the dielectric anisotropy $\Delta\varepsilon_{corr}$ of the liquid-crystalline medium:

$$\Delta\varepsilon_{corr} \leq \frac{5 \cdot V_{10} + 32}{V_{10}^2} \quad (1),$$

and at least one compound of the formula III:



III

where

R^{31} and R^{32}, independently of one another, are alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms, in which one $-CH_2-$ group is optionally replaced by oxygen.

3. (Currently Amended) ~~A liquid-crystalline medium according to of Claim 1, wherein component (β) further comprises~~ A liquid-crystalline medium comprising

- a component (α) which comprises at least one compound of the formula I



I

where

L^{11} is H or F;

R^{11} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

Z^1 is a single bond or -COO-; and



is



,



,



or



;

and

- a component (β) which comprises at least one compound of the formula II



II

where

R^{21} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{22} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon

atoms, in which one -CH_2- group is optionally replaced by oxygen;

where the following applies for the dielectric anisotropy $\Delta\varepsilon_{corr}$ of the liquid-crystalline medium:

$$\Delta\varepsilon_{corr} \leq \frac{5 \cdot V_{10} + 32}{V_{10}^2} \qquad (1),$$

and at least one compound of the formula IV:



IV

where

L^{41} and L^{42}, independently of one another, are H or F;

R^{41} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{42} is alkyl having from 1 to 12 carbon atoms, alkenyl having from 2 to 12 carbon atoms or F;

with the proviso that at least one of the radicals R^{41} and R^{42} is alkenyl; and

d is 0 or 1.

4. (Original) A liquid-crystalline medium according to of Claim 2, wherein component (β) further comprises at least one compound of the formula IV:



IV

where

L^{41} and L^{42}, independently of one another, are H or F;

R^{41} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{42} is alkyl having from 1 to 12 carbon atoms, alkenyl having from 2 to 12 carbon atoms or F;

with the proviso that at least one of the radicals R^{41} and R^{42} is alkenyl; and

d is 0 or 1.

5. (Currently Amended) ~~A liquid-crystalline medium according to Claim 1, wherein component (α) further comprises~~ A liquid-crystalline medium comprising

- a component (α) which comprises at least one compound of the formula I



I

where

L^{11} is H or F;

R^{11} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

Z^1 is a single bond or -COO-; and



is



or

and at least one compound of the formula V:



V

where

L^{51} and L^{52}, independently of one another, are H or F; and

R^{51} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

and

- a component (β) which comprises at least one compound of the formula II



II

where

R^{21} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{22} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon

atoms, in which one -CH_2- group is optionally replaced by oxygen;

where the following applies for the dielectric anisotropy $\Delta\varepsilon_{corr}$ of the liquid-crystalline medium:

$$\Delta\varepsilon_{corr} \leq \frac{5 \cdot V_{10} + 32}{V_{10}^2} \quad (1).$$

6. (Original) A liquid-crystalline medium according to Claim 2, wherein component (α) further comprises at least one compound of the formula V:



V

where

L^{51} and L^{52}, independently of one another, are H or F; and

R^{51} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms.

7. (Original) A liquid-crystalline medium according to Claim 3, wherein component (α) further comprises at least one compound of the formula V:



V

where

L^{51} and L^{52}, independently of one another, are H or F; and

R^{51} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms.

8. (Currently Amended) ~~A liquid-crystalline medium according to Claim 1, wherein component (α) further comprises~~ A liquid-crystalline medium comprising

- a component (α) which comprises at least one compound of the formula I



I

where

L^{11} is H or F;

R^{11} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

Z^{1} is a single bond or -COO-; and



is



,



,



or



,

and a compound of the formula VI:



VI

where

R^{61} is alkyl having from 1 to 12 carbon atoms;

and

- a component (β) which comprises at least one compound of the formula II



II

where

R^{21} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{22} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms, in which one $-CH_2-$ group is optionally replaced by oxygen;

where the following applies for the dielectric anisotropy $\Delta\varepsilon_{corr}$ of the liquid-crystalline medium:

$$\Delta\varepsilon_{corr} \leq \frac{5 \cdot V_{10} + 32}{V_{10}^{\ 2}} \quad (1).$$

9. (Original) A liquid-crystalline medium according to Claim 2, wherein component (α) further comprises a compound of the formula VI:



VI

where

R^{61} is alkyl having from 1 to 12 carbon atoms.

10. (Original) A liquid-crystalline medium according to Claim 3, wherein component (α) further comprises a compound of the formula VI:



VI

where

R^{61} is alkyl having from 1 to 12 carbon atoms.

11. (Original) A liquid-crystalline medium according to Claim 5, wherein component (α) further comprises a compound of the formula VI:



VI

where

R^{61} is alkyl having from 1 to 12 carbon atoms.

12. (Currently Amended) ~~A liquid-crystalline medium according to Claim 1,~~ A liquid-crystalline medium comprising

- a component (α) which comprises at least one compound of the formula I



I

where

L^{11} is H or F;

R^{11} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

Z^1 is a single bond or -COO-; and



is



or

and

- a component (β) which comprises at least one compound of the formula II



II

where

R^{21} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{22} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms, in which one $-CH_2-$ group is optionally replaced by oxygen;

where the following applies for the dielectric anisotropy $\Delta\varepsilon_{corr}$ of the liquid-crystalline medium:

$$\Delta\varepsilon_{corr} \leq \frac{5 \cdot V_{10} + 32}{V_{10}^{2}} \qquad (1),$$

wherein component (α) is present in an amount of ~~from~~ 5 to 75% by weight based on the total weight of the medium.

13. (Currently Amended) A liquid-crystalline medium according to Claim 12 ~~1~~, wherein component (α) is present ~~preferably~~ in an amount of ~~from~~ 9 to 55% by weight.

14. (Currently Amended) A liquid-crystalline medium according to Claim 12 ~~1~~, wherein component (α) is present in an amount of from 13 to 40% by weight.

15. (Currently Amended) ~~A liquid-crystalline medium according to Claim 1, wherein~~ A liquid-crystalline medium comprising

- a component (α) which comprises at least one compound of ~~the formula I which is of~~ the formula IA and/or of the formula IB:



IA



IB

in which

R^{11A} is alkenyl having from 2 to 12 carbon atoms; and

R^{11B} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

and

- a component (β) which comprises at least one compound of the formula II



II

where

R^{21} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms;

R^{22} is alkyl having from 1 to 12 carbon atoms or alkenyl having from 2 to 12 carbon atoms, in which one $-CH_2-$ group is optionally replaced by oxygen;

where the following applies for the dielectric anisotropy $\Delta\varepsilon_{corr}$ of the liquid-crystalline medium:

$$\Delta\varepsilon_{corr} \leq \frac{5 \cdot V_{10} + 32}{V_{10}^2} \quad (1).$$

16. (Currently Amended) An electro-optical display device which contains a liquid-crystalline medium according to Claim 3 ~~1~~.

17. (Original) The display device of claim 16 which is a TN or STN display device.

18. (Original) A method for operating an electro-optical TN or STN display device in an energy-saving manner wherein the device contains a liquid-crystalline medium of claim 1.

19. (New) An electro-optical display device which contains a liquid-crystalline medium according to Claim 2.

20. (New) An electro-optical display device which contains a liquid-crystalline medium according to Claim 5.

21. (New) An electro-optical display device which contains a liquid-crystalline medium according to Claim 8.

22. (New) An electro-optical display device which contains a liquid-crystalline medium according to Claim 12.

23. (New) An electro-optical display device which contains a liquid-crystalline medium according to Claim 15.